

Please type a plus sign (+) inside this box →

+

PTO/SB/05 (12/97)
Approved for use through 09/03/00. OMB 0651-0032

Patent and Trademark Office. U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL <small>(Only for new nonprovisional applications under 37 CFR 1.53(b))</small>	Attorney Docket No.	RN1153	Total Pages	3
	First Named Inventor or Application Identifier			
	Banumathy K. Sundhar			
	Express Mail Label No.	EL355508970US		

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
---	---

- | | |
|--|---|
| <p>1. <input checked="" type="checkbox"/> Fee Transmittal Form
<small>(Submit an original, and a duplicate for fee processing)</small></p> <p>2. <input checked="" type="checkbox"/> Specification [Total Pages 20]
<small>(preferred arrangement set forth below)</small></p> <ul style="list-style-type: none">- Descriptive title of the Invention- Cross References to Related Applications- Statement Regarding Fed sponsored R & D- Reference to Microfiche Appendix- Background of the Invention- Brief Summary of the Invention- Brief Description of the Drawings <i>(if filed)</i>- Detailed Description- Claim(s)- Abstract of the Disclosure <p>3. <input checked="" type="checkbox"/> Drawing(s) <i>(35 USC 113)</i> [Total Sheets 6]</p> <p>4. Oath or Declaration [Total Pages 2]</p> <p>a. <input checked="" type="checkbox"/> Newly executed (original or copy)</p> <p>b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d)) <small>(for continuation/divisional with Box 17 completed)</small>
<small>[Note Box 5 below]</small></p> <p>i. <input type="checkbox"/> DELETION OF INVENTOR(S)
Signed statement attached deleting Inventor(s) named in the prior application, see 37 CFR 1.63(d) and 1.33 (b).</p> <p>5. <input type="checkbox"/> Incorporation By Reference <small>(usable if Box 4b is checked)</small>
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being a part of the disclosure of the accompanying application and is hereby incorporated by reference therein.</p> | <p>6. <input type="checkbox"/> Microfiche Computer Program <i>(Appendix)</i></p> <p>7. <input type="checkbox"/> Nucleotide and/or Amino Acid Sequence Submission <i>(if applicable, all necessary)</i></p> <p>a. <input type="checkbox"/> Computer Readable Copy</p> <p>b. <input type="checkbox"/> Paper Copy (identical to computer copy)</p> <p>c. <input type="checkbox"/> Statement verifying identity of above copies</p> |
|--|---|

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☒ Power of Attorney
(when there is an assignee)
10. ☐ English Translation Document *(if applicable)*
11. ☐ Information Disclosure ☐ Copies of IDS
Statement (IDS)/PTO-1449 Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEM 503)
(Should be specifically itemized)
14. ☐ Small Entity ☐ Statement filed in prior application,
Statement(s) Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
(if foreign Priority is claimed)
16. ☐ Other: _____

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: /

18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label



or ☒ Correspondence address below

NAME	Steven B. Phillips				
ADDRESS	Nortel Patent Department P.O. Box 13828				
CITY	Research Triangle Park	STATE	NC	ZIP CODE	27709-3828
COUNTRY	U.S.A.	TELEPHONE	919-997-4453	FAX	919-997-6659

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

RN 1153

Directory Assistance for IP Telephone Subscribers

5

Description

Technical Field

This invention relates to internet protocol (IP) networks, and more particularly to providing directory assistance (DA) services to IP network subscribers.

10

Background Art

As known, internet protocol (IP) telephones are typically personal computer (PC) based telephones connected within an IP network, such as the public internet or a private network of a large organization. These IP telephones have installed "voice-over-IP" (VoIP) software enabling them to make and receive voice calls as well as send and receive information in data and video formats. IP telephony switches installed within the IP network enable voice calls to be made within or between IP networks, and between an IP network and a switched circuit network (SCN), such as the public switched telephone network (PSTN). If the IP switch supports the Signaling System 7 (SS7) protocol, the IP telephone can also access PSTN data bases.

As also known, subscribers to the PSTN have access to certain fee-based telephone services provided by the local telephone switching company. These include directory assistance ("DA"), which allow a caller to request operator assistance in obtaining a directory number ("DN"). Rather than dialing "0" to access the local operator the caller dials either: 411, 1-555-1212, or 1-NPA-555-1212 (where NPA is the Numbering Plan Area, or area code) and the call is presented to an operator on a screen that immediately identifies the call as a DA call. The operator obtains the DA search query information from the subscriber and initiates a DA database search. The DA database returns all listings that match the search criteria. The operator then selects the appropriate listing and

releases the call to an audio response unit (ARU) that provides the subscriber with an audible report of the requested number.

The DA service is provided at a fee by the service provider and is an
35 important revenue source. Similarly, the service is a significant value added
feature to the subscriber when time or circumstance prevent the caller from
determining the requested number on their own. Despite the benefits to both
service provider and subscriber the DA service does have limitations for both
parties. For the subscriber the reported telephone number is provided as an
40 audible response. Although the reported number is repeated to give the caller
the opportunity to either memorize or record it, the information is generally
“jotted down” in a temporary way; sufficient only to make the present call. The
failure to record the information in a permanent way, such as in a subscriber’s
telephone personal directory, typically results in the need to again access the
45 DA service the next time the call must be made.

Since the DA service is a revenue source for the service provider the
repeat access by a subscriber may well be considered a positive result.
However, there are efficiencies with providing the DA service which are
important to profitability. Since the subscriber calling the DA service operator
50 does not necessarily have detailed information as to the residence, or even the
locale of the party at the requested number, there is dialogue that must occur
with the subscriber to allow the DA operator to narrow the search command to
the DA database. For providers of telephone services in large metropolitan
areas, this dialogue time can be significant, resulting in a corresponding amount
55 of operator time to complete the transaction. As such, some service providers
have begun use of automated operator technology in which a subscriber
accesses a computer generated voice response menu and enters information via
the telephone keypad. While this becomes a greater burden to the subscriber, it
reduces the service providers real-time cost of providing real-time operators.

60 It would be desirable, therefore, to provide a means to more efficiently
report DA service information to a subscriber in a manner that reduces the

amount of time spent by both parties to the transaction.

Disclosure of Invention

65 The present invention is to method and apparatus for providing PSTN directory assistance (DA) services to internet protocol (IP) client telephones having voice over internet protocol (VoIP) capabilities. According to the invention the PSTN local switching system is modified to recognize an IP client telephone as a basic rate interface (BRI) agent to allow the IP client telephone to
70 access the system's DA services and to receive DA information in data form as well as voice form.

 In further accord with the invention, the DA service is provided with an IP signal gateway connection to the client network, such as the public internet, and the response to an IP client request for DA information is reported to the IP
75 client in data format through the gateway. In still further accord with the invention, when an IP client dials the DA service, the local switch identifies the DA request as coming from a IP client and commands the DA to send the DA requested information to the client by audible response through the PSTN as well as in data format through the IP gateway. In still further accord with the
80 invention the requested DA information provided includes the party name, telephone number, and listed address, which are provided in a data format that the IP client can receive and store in a personal database installed on the IP telephone.

 The advantage of the expanded service to the IP telephone client is the
85 automatic record of the directory information stored directly in the IP telephone. This is performed automatically, without the need of the caller to transcribe or otherwise record the verbal information into an address book. By recognizing the IP telephone as a BRI agent at the local switch, the present invention does not require any major modifications to the local switching system software since
90 the BRI features are already supported by the switching system software. In executing this expanded service, the local switch can provide the data

information using available Integrated Subscriber Digital Network (ISDN) BRI
available message formats, such as a facility message. Since the facility
message is sent over the data channel it does not occupy the voice channel, or
prevent use of the voice channel by the DA service.

For the service provider (or Telcos) the enriched value of having the DA
information automatically downloaded into the subscriber's local database, may
warrant a flat monthly rate that is charged to all subscribers as an overhead cost.
By amortizing this cost over all customers the high value DA service is made
available to all at a comparatively small charge.

These and other objects, features, and advantages of the present
invention will become more apparent in light of the following detailed
description of a best mode embodiment thereof, as illustrated in the
accompanying Drawing.

Brief Description of Drawing

Figure 1, is a schematic block diagram of a best mode embodiment of
the present invention for use in providing directory assistance (DA) services to
an IP telephone across an IP network to switched circuit network (SCN)
interface;

Figure 2, is a figurative, process flow diagram used in connection with
the teaching of the embodiment of Figure 1;

Figure 3, is another figurative, process flow diagram used in conjunction
with the diagram of Figure 2;

Figure 4, is an illustration of one operating state of one type of user
graphic display that may be used with the present invention;

Figure 5, is an illustration of another operating state of the graphic
display of Figure 4;

Figure 6, is a schematic block diagram of a PRIOR ART type user
display that may be used in conjunction with the present invention, and

Figure 7 is a schematic block diagram of an alternative embodiment of

the invention.

Best Mode for Carrying out the Invention

125 Referring first to Figure 6, which illustrates the prior art interface of an IP telephone 20 to a local switching system 22 of an SCN 24, such as the public switched telephone network (PSTN). The IP telephone 20 is connected to an IP network (or packet based network (PBN)) 26, such as the public internet or a private network of a large organization. The IP telephone 20 is typically a
130 multimedia personal computer (PC) having a microphone, speakers, and installed "voice-over-IP" (VoIP) software that complies with the International Telecommunications Union (ITU) standard H. 323; possibly including H. 323 Revision 2 ("Packet Based Multimedia Communications Systems").

With the VoIP software the IP telephone PC may send and receive voice
135 messages, as well as sending and receiving information in data and video formats. The network 26 includes a gatekeeper 30 and a local area network (LAN) IP gateway 32, which together enable voice communications to be exchanged between the IP telephones 20 and the local switching system 22 through the PSTN 24. The gatekeeper 30 provides the address translation of
140 telephones, the authorization and authentication of terminals and gateways, the management of the IP network bandwidth, and the call accounting, billing, and charging of calls to network subscribers.

The gateway 32 provides the functional interconnect between the H.323 protocol IP network 26 and the PSTN 24. It does this by translating protocols
145 for call setup and release, by converting network media formats, and by transferring information between the connected networks. This includes digitizing and signal compressing the voice calls from the PSTN into IP packets for routing through the network 26, and transmitting call signaling information to the PSTN using, ISDN (Integrated Services Digital Network) D-Channel
150 signaling, or other forms of signaling. The gateway 32 may be a time-division-multiplex switch, such as the Nortel Networks Model DMS-100 digital

155 multiplex switch with installed H.323 VoIP software. The DMS-100 sets up the wireline (or wireless) call connections to the PSTN 24 and to query PSTN database servers, such as the DA server 42. When the IP client telephone 20 is used to make a 411 DA call, the call is routed by the gate keeper 30 through the DMS-100 and the PSTN 24 to the local switching telephone system 22. The call may be routed through the PSTN on any of the known telephone network trunks, such as TOPS, MF, IT, ATC (Access Tandem to Carrier) and ISDN User Part (ISUP).

160 The local switching system 22 includes a Traffic Operator Position System (TOPS) Digital Multiplex Switch (DMS) 34, such as the Nortel Network Model TOPS DMS-200 central office switch. The switch communicates with the local switching system's intelligent work station (IWS) Operator Position 36 through an IWS interface 38 using an Open Position
165 Protocol (OPP) message format which provides screen displays at the IWS operator position 36. The TOPS DMS-200 also communicates through a DMS/DB interface 40 with the directory assistance (DA) server 42.

Typically the DA server includes a relational database software operating environment, and hardware, including coupled RISC-based UNIX
170 signal processors, that communicate with the TOPS DMS 34 switch via open protocols, and which includes a RISC-based dual-database system which stores telephone listings in a relational database and in a format optimized for search purposes. The IWS Operator Position 36 provides an operator interface to the DA service, and comprises a workstation with a Graphical User Interface (GUI)
175 which provides point-and-click access to administration and update functions for the DA services. The GUI may use multiple windows, with the ability to cut, copy, and paste information from one window to another. The IWS 38 and DA server 42 are configured in a LAN/WAN network supported by the industry-standard TCP/IP protocol.

180 In the operation of a prior art DA call from the IP telephone 20, also referred to here as an IP Client 20, the caller enters the DA designated number

(DN), such as 411, 1-555-1212, or 1-NPA-555-1212 (where NPA is the
Numbering Plan Area, or area code) and the call is routed by the gateway 30
and DMS-100 through the PSTN 24 to the TOPS DMS 34 of the local switching
185 system 22. The TOPS DMS identifies the call as a DA call on a screen of the
IWS Operator Position, and reserves a three port circuit between itself, the IP
telephone 20, and the IWS Operator Position 36. The IWS operator requests
information from the IP client in the form of the name and city of the party to be
called over the reserved three port circuit. The operator keys in this information
190 which is passed to the TOPS DMS in an OPP message protocol. The TOPS
DMS establishes a call with the DA system (using standard DA protocol) and
passes the operator information to the DA server. The DA server retrieves the
requested directory number (DN) and asks the TOPS DMS to connect it to an
Automatic Response Unit (ARU) (not shown) and the DA server provides the
195 retrieved DN to the attending ARU. The CM then connects the ARU to the
three port conference circuit and the audio response unit is played back to the IP
client; typically the response is repeated to provide for sufficient notice. When
the playback is complete the TOPS DMS disconnects the call to the DA server
into the Automatic Message Accounting (AMA) billing system. The operator
200 position is then released.

The present invention expands the DA services provided to IP telephone
clients by additionally providing the DA information in forms, including a data
format. In the present invention the IP telephone 20 is provided with the same
voice communication protocol and interface through the PSTN 24 to the local
205 switching system 22, however, a data pathway is also provided for transferring
the DA information in data format to the IP client telephone 20. The invention
is capable of implementation in several embodiments, as will be described in the
following figures.

Referring now to Figure 1, which repeats the common connection
210 interface between the IP network 26 and local switching system 22 through the
PSTN 24, but which further includes an added H.323 gateway 44 which

functionally connects the signal output of a DA server 46 directly to the IP network 26. The gateway 44 is of a known-type, and provides unidirectional signal transmission from the DA server 46, to the IP telephone. In doing this it translates the SCN signal protocol of the system 22 to the packet protocol of the IP network 26. As described hereinafter with respect to Figures 2 and 3, the DA server 46 is a variation of the DA server 42 of Fig. 6 to the extent that the server's software is modified as necessary to command and provide the requested DA information in data format to the gateway 44.

Figure 2 is a figurative flow diagram of the sequential steps performed between the IP telephone 20, the IGW 32, the DMS 33, the TOPS DMS 34, the IWS 36, and the DA server 46 in setting up a DA call request from the IP client. Referring simultaneously to Figures 1 and 2, when the telephone 20 goes "off hook" it sends an ARQ (address request) 50 to the gate keeper 30 requesting authenticators to make a call and if authorized, the gate keeper returns an ACF (address confirm) command 52. The caller at the IP telephone then issues a SETUP command 54 by dialing the directory number for the DA, which is relayed 56 by the gatekeeper to the IGW 32. The IGW forwards the SETUP 58 to the DMS 33 and returns a CALL PROCEEDING notice 60 to the gate keeper, which is relayed 62 to the telephone. The notice may be in the form of a confirmatory tone, or with a ringing audible sound indicating to the caller that the call is proceeding.

When the DMS 100 receives the setup 58 it recognizes the IP telephone as a basic rate interface (BRI) device, and includes that BRI indicator together with the dialed DN in a IAM (Initial Address Message) and sends it across an ISUP trunk to the TOPS DMS 34. The TOPS DMS 34 recognizes the call as a DA request from a BRI device which is capable of receiving information in voice, data, and video format. The TOPS DMS 34 issues a CALL BEGIN command 66, which includes all of the originator information, (i.e. the designated number for the IP telephone 20) to the IWS 36.

Once the CALL BEGINS 66 command is established the TOPS 34

issues an ANM "Answer Message" 68 to the DMS 33, which responds by issuing a CONNECT COMMAND 70 to the IGW 32. The IGW sends an admissions request (ARQ) 72 to the gatekeeper 30, which confirms the request
245 with a response ACF 74. The IGW then issues a CONNECT command 76 which is relayed 78 by the gatekeeper to the IP client 20 to establish the voice channel 80 between the telephone 20 and the IWS 36.

With a voice channel established the operator obtains information from the caller identifying the locality and party name for which the caller wishes
250 directory assistance. Once the information has been obtained the operator issues an ACTION REQUEST 84 from the IWS to the TOPS 34 to command access to the DA server 46. The TOPS 34 forwards a CALL BEGIN command 86 to the DA server 46. This CALL BEGIN includes: the calling number of the telephone 20 and the information that has been keyed in by the operator, and it
255 commands the DA server 46 to perform a directory search for the requested information.. The search is performed and the search results, in the form of the a directory number are included in an ARU Request 88 issued by the DA server 46 to the IWS 36. This request includes the connection 89 of an audio response unit to receive and to provide an audible announcement over the voice channel
260 80 to the IP telephone 20. The IWS provides an ARU connect 90 and when the playback has been completed the IWS issues a Playback Complete command 92 to the DA, followed by an END CALL command 94.

The sequence described thus far is similar to the prior art DA process in providing an audio response to the caller. In the present invention, following
265 the CALL BEGIN 86, the DA server 46 performs a collateral text data transfer routine 100 for providing the same DA search results in text data format through the gateway 44 to the IP telephone 20.

f Referring now to Fig. 3, which illustrates the setup command exchange and release associated with the routine 100. This begins following the CALL
270 BEGIN 86 (Fig. 2) with an ARQ request 102 in H.323 format from the DA server 46 to the gateway 44. The gateway 44 confirms with a responding ACF

confirmation 104. The DA server 46 then issues a SETUP 106 to the gateway 44. The setup requests the channel signaling and an unrestricted 64 kbps data channel. The set passes the SETUP COMMAND 108 to the IP client telephone 20 and then confirms the setup with a CALL PROCEEDING COMMAND 110 back to the DA server 46.

Before responding to the SETUP 108 the IP client 20 issues an ARQ 112 to the gateway 44, which responds with a ACF 114, and the IP client sends a CONNECT notice 116 to the gate keeper 44 indicating that it is ready to receive data. This CONNECT notice relayed 118 to the DA server, which then forwards a FACILITY MESSAGE containing the retrieved DA information to the gate keeper 44 and the IP client telephone 20. When the transmission is complete the server 46 issues a RELEASE COMMAND 122 to the gateway which relays the request 124 to the IP client. The IP client responds with a RELCOM (Release Confirmed) acknowledgment 126 to the keeper 44, which is relayed 128 back to the DA server.

In the above described embodiment the gate keeper 44 provides a firewall connection between the DA server 46 and the IP network 26. The gateway establishes an H.323 session with the IP telephone client 20 and sends the retrieved DA information in data text format directly to the telephone's PC. The data is unformatted, i.e. without control characters, such that when received it may appear as:

3055551234miamifloridajanesanders

This information may be loaded by the IP telephone into client installed address book software which formats the text data into readable format as:

(305) 555-1234

Miami, Florida

Jane Sanders

Once stored the information can be retrieved locally from the telephone address book by searching the entries. Figure 4 is an illustrative diagram of one of a number of possible Graphical User Interface (GUI) displays 130 having four

fields 132-135, including Name, Telephone Number, City, and State. The user may enter the name "Jane Sanders" 136 and hit the "ENTER" key 138 to begin the search. The retrieved information is shown in Figure 5 to include the data
305 formatted information forwarded from the DA server 46. If multiple sets of information are retrieved for the same search criteria the user can use the NEXT key 140 to scroll through the results. Similarly, the CLEAR key 142 clears the display fields.

The data formatted DA information may also be transmitted to the IP
310 client telephone in various other embodiments. A modification of the above described embodiment would be to have the gateway 44 be capable of being directly dialed up by the IP telephone 20. This would allow direct access by the telephone 20 to the DA server and allow searching of the server in a protocol similar to database searching routines, i.e. direct access by the client caller to the
315 listing database. This would avoid the need for a voice call through the PSTN and could be subject to a transaction or subscription based fee scale.

Fig. 7 illustrates a further embodiment in which the H.323 gateway 130 is instead connected to an input/output (I/O) port of the TOPS TMS 34. In this embodiment the TOP TMS establishes a H.323 session with the IP client
320 telephone and passes the retrieved DA information in H.323 message format to the IP client. This involves some modification of the operating software of the TOPS COMPUTING MODULE (CM).

The expanded DA services to the IP client telephone can also be provided with no hardware modifications of the local switching system 22, by
325 having the TOPS DMS 34 forward the retrieved DA information through the PSTN 24 to the DMS 33 in the TCAP transaction message function of the Signaling System 7 protocol. The DMS 33 would then convert the TCAP to H.323 message format and send it to the IP client telephone.

The present invention provides an expanded DA service to IP client
330 telephone callers with minimum modification of the existing DA service software. It lends itself to various embodiments, each of which deliver the DA

information in a text data format but in a different interface manner. The use of a gateway connection between the DA server and the IP network provides the greatest degree of service expansion in that the text data may be provided in
335 conjunction with a standard audio delivery, or it may be provided as a direct access database in which no voice call is involved. This is a high value added service which is of immediate benefit to both the client and the telephone service provider. In consideration of its high value and in the flexibility of its delivery, the telephone service provider has a variety of options in charging for
340 the service. This may include a flat monthly subscription fee for all subscribers which eliminates the need for AMA transaction billing, reducing both the service cost to the provider as well as the service charge to the customer.

Although the invention has been shown and described with respect to a best mode embodiment thereof, it should be understood by those skilled in the
345 art that various changes, omissions, and additions may be made to the form and detail of the disclosed embodiment without departing from the spirit and scope of the invention, as recited in the following claims.

Claims

I claim:

1. A telephone system, for providing directory assistance (DA) services in response to a DA service number received from a calling party telephone having a directory number (DN), the DN identifying the type of calling party telephone, including internet protocol (IP) telephones capable of accessing the telephone system through the public switched telephone network (PSTN) and through the public internet, the system comprising:

a DA signal processor, having a DA signal memory for storing the DN of a plurality of party telephones, each DN being stored in said DA signal memory in relationship with additional party information; and

- 10 a telephone switch, responsive to receipt of a DA service number, and having a switch signal processor and a switch signal memory for storing program signals, for:

determining the type of calling party telephone;

reporting the requested DA information in voice format to the calling

- 15 party telephone; and

forwarding the requested DA information in data file format to the calling party telephone in the presence of an identified IP telephone.

2. The telephone system of claim 1, wherein said step of reporting by said telephone switch, comprises:

connecting the calling party to a DA service operator for receiving the calling party requested information in voice format;

- 5 forwarding the requested information from the operator as a search request to said DA signal processor;

retrieving the results of said search request from said DA signal processor as a DA information response data file; and

- 10 formulating said DA information response data file in voice format for report to the calling party telephone

3. The telephone system of claim 2, further comprising:

a signal gateway, interconnected for response to the telephone system and to the public internet, for:

5 receiving said DA information response data file from the telephone system; and

transmitting, in the presence of an identified IP telephone, said DA information response data file through the public internet to the calling party IP telephone.

10

4. The telephone system of claim 3 wherein said signal gateway receives said DA information response data file from said DA signal processor.

5. The telephone system of claim 3, wherein said signal gateway receives said DA information response data file from said switch signal processor.

6. The telephone system of claim 2, further comprising:

a signal gateway, interconnected for response to said DA signal processor and to the public internet, for:

5 receiving signal requests for DA services which are forwarded through the public internet from an IP telephone in an internet protocol (IP) data file format, and translating, as necessary, the IP data file format to the telephone system operating protocol;

forwarding the signal request for DA services to said DA signal processor and retrieving said DA information response data file therefrom and
10 translating, as necessary, said DA information response data file to an IP format DA information response data file; and

forwarding said IP format DA information response data file through the public internet to the IP telephone.

7. A telephone system, of the type having a switched circuit network (SCN) signal protocol which provides directory assistance (DA) services in response to a DA service number received from a calling party telephone having a directory number (DN), the DN identifying the type of calling party telephone, including switched circuit network (SCN) telephones and internet protocol (IP) telephones, the IP telephones being capable of accessing the telephone system through the public switched telephone network (PSTN) and through the public internet, the system comprising:

a signal gateway, interconnected for response to the telephone system and to the public internet;

a DA signal processor, having a DA signal memory for storing the DN of a plurality of party telephones, each DN being stored in said DA signal memory in relationship with additional party information;

a telephone switch, responsive to receipt of a DA service number, and having a switch signal processor and a switch signal memory for storing program signals, for:

determining the type of calling party telephone;

connecting the calling party to a DA service operator for receiving the calling party requested information in voice format;

forwarding the requested information from the operator as a search request to said DA signal processor;

retrieving the results of said search request from said DA signal processor as a DA information response data file, and for providing formulation thereof in voice format for report to the calling party telephone; and

reporting the requested DA information in voice format to the calling party telephone;

and wherein said DA signal processor provides for:

receiving said search request from said switch signal processor;

30 providing said DA information response data file to said switch
signal processor in response thereto; and
 forwarding, in response to said determination of the presence of an
IP telephone; said DA information response data file to said signal
gateway for transmittal to the IP telephone through the public internet.

35

8. The telephone system of claim 7 wherein said signal gateway receives
said DA information response data file from said DA signal processor.

9. The telephone system of claim 7, wherein said signal gateway receives
said DA information response data file from said switch signal processor.

10. The telephone system of claim 7, wherein said signal gateway is
interconnected for response to said DA signal processor and to the public
internet, for:

 receiving signal requests for DA services which are forwarded through
5 the public internet from an IP telephone in an internet protocol (IP) data file
format, and translating the IP data file format to the telephone system SCN
operating protocol;

 forwarding the signal request for DA services to said DA signal
processor and retrieving said DA information response data file therefrom;

10 providing translation of said DA information response data file from an
SCN protocol to an IP format DA information response data file; and

 transmitting said IP format DA information response data file through
the public internet to the IP telephone.

11. The method of providing directory assistance (DA) services from a
telephone system in response to a DA service number received from a calling
party telephone having a directory number (DN), the DN identifying the type of
calling party telephone, including internet protocol (IP) telephones capable of

5 accessing the telephone system through the public switched telephone network
(PSTN) and through the public internet, the telephone system having a switch
signal processor, a DA signal processor, and a DA signal memory for storing
the DN of a plurality of party telephones, each DN being stored in said DA
signal memory in relationship with additional party information; the method
10 comprising:

 connecting a signal gateway between the telephone system and the
public internet;

 having the switch signal processor receive the DA service number and
provide for:

15 receiving the DA service number and determining the type of calling
party telephone;

 reporting the requested DA information in voice format to the calling
party telephone; and

 forwarding, in response to the presence of an identified calling party
20 IP telephone, the requested DA information to said signal gateway for
transmittal through the public internet to the calling party IP telephone.

12. The method of claim 11, wherein said step of reporting by said switch
signal processor, comprises:

 connecting the calling party to a DA service operator for receiving
the calling party requested information in voice format;

5 forwarding the requested information from the operator as a search
request to the DA signal processor;

 retrieving the results of said search request from said DA signal
processor as a DA information response data file; and

 formulating said DA information response data file in voice format
10 for report to the calling party telephone

13. The method of claim 11 wherein said signal gateway receives said DA information response data file from the DA signal processor.

14. The method of claim 11, wherein said signal gateway receives said DA information response data file from the switch signal processor.

15 The method of claim 11, wherein said signal gateway further provides for:

receiving internet signal requests for DA services through the public internet from an IP telephone in an internet protocol (IP) data file format, and,
5 as necessary, translating the IP data file format to the telephone system operating protocol;

forwarding the internet signal request for DA services to the DA signal processor and retrieving said DA information response data file therefrom;

translating, as necessary, said DA information response data file to an IP
10 format DA information response data file; and

transmitting said IP format DA information response data file through the public internet to the IP telephone.

16. The method of providing directory assistance (DA) services from a DA server of a telephone switching system to an internet protocol (IP) telephone located in an IP network, the IP network being of the type having an IP gateway capable of connecting the IP telephone to the telephone switching system, the
5 method comprising:

adding a signal gateway to the telephone switching system, said signal gateway being capable of transferring information in data format from the telephone system to the IP network;

connecting the DA server data signal output to said signal gateway;
10 causing the telephone switching system to recognize the IP telephone as an interface device capable of receiving information in voice and data format;


and

- having the telephone switching system, in response to each IP telephone request for DA information received thereby, command the DA server to
- 15 provide the requested DA service information in data format through said signal gateway and the IP network to the IP telephone.

Abstract of the Disclosure

20 Directory assistance (DA) information is provided by a telephone system to internet protocol (IP) client telephones in selectable formats including: a text data format provided jointly with an aural format in response to an aural request from the client and, alternately, in text data format in response to a text message request from the client.

Nortel Networks, Inc. Docket No. RN 1153
Atty: D. J. Chiantera



60



33-24

W

W
/ 7
W
00

93

1

100

TEXT DATA
TRANSFER

Figure 3

[illegible]




Figure 4

Enter Name

136 132

Enter Telephone Number

133

Enter City

134

Enter State

135

142
CLEAR

140
NEXT

138
ENTER

Figure 5

Enter Name

132

Enter Telephone Number

133

Enter City

134

Enter State


135

142
CLEAR

140
NEXT

138
ENTER


Figure 6



Prior Art

00000000 00000000

Figure 7



Please type a plus sign (+) inside this box ☐

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63) <input checked="" type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)	Attorney Docket Number	RN1153
	First Named Inventor	Banumathy K. Sundhar
	COMPLETE IF KNOWN	
	Application Number	
	Filing Date	
	Group Art Unit	
	Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

Directory Assistance For IP Telephone Subscribers Description

the specification of which (Title of the Invention)

☒ is attached hereto
OR
☐ was filed on (MM/DD/YYYY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 356(b) of any foreign application(s) for patent or inventor's certificate, or 356(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)

☐ Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box ☐

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☒ Customer Number 22033

OR

☐ Registered practitioner(s) name/registration number listed below

Place Customer
Number Bar Code
Label here

Name	Registration Number	Name	Registration Number


☐ Additional registered practitioner(s) named on supplemental Registered Practitioner information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☒ Customer Number or Bar Code Label ☐ Correspondence address below

Name	Steven B. Phillips				
Address					
Address					
City		State		ZIP	
Country		Telephone		Fax	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon

Name of Sole or First Inventor: ☐ A petition has been filed for this unsigned inventor

Given Name (first and middle (if any))		Family Name or Surname					
Banumathy K.		Sundhar					
Inventor's Signature			Date	05/26/99			
Residence: City	Cary	State	NC	Country	United States	Citizenship	India
Post Office Address	103 Foscoe Lane						
Post Office Address							
City	Cary	State	North Carolina	ZIP	27513	Country	United States

☐ Additional inventors are being named on the supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto